

“Room/Air Con Key Switches”

Control the Power and Air Conditioner power consumption by key interlocking with the entrance door key.

In room key switches are used to control the power consumption of unattended rooms. The way it works is the front door of the room is keyed alike to the key switch. The occupant uses his key to unlock the front door, then uses the same key to turn the key switch turning the power to the room or air con on. The key is captive in the on position. Therefore when the occupant leaves the room the key switch is turned off and key removed. The key is removed, enabling the occupant to re-enter the room.

Things we need to know to

- 1) Quantity of Key Switches Required
- 2) 10 Amps, 20 Amps or more
- 3) Random Key Cylinder or No Cylinder
- 4) Door Entrance Set keyed alike
- 5) Bathroom Privacy set

Why make the change

- 1) Reduction in power usage
- 2) Reduction in power costs
- 3) Reduction in maintenance costs
- 4) Reduction in carbon admissions
- 5) Reduction in



Clipsal 2000 Series Wall


LIW Order Code “OL415002”
 75mm X 115mm x 45 (Cavity Depth)



Stainless Steel Wall Mount

LIW Order Code “OL415002/PZ25”
 70mm X 115mm x 64mm (Cavity Depth)

Circuit Diagram



Specialised Security Products

Patented & Registered Designs

©copyright Lock It Well 2011

Room-Air
 2011